L Number	Hits	Search Text	DB	Time stamp
1	2817	not abbott.in. and (context attribute) with exchang$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:03
2	80	(not abbott.in. and (context attribute) with exchang$4) and client and server and data near6 source and (mediator intermediatory proxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 15:54
3	48	((not abbott.in. and (context attribute) with exchang$4) and client and server and data near6 source and (mediator intermediatory proxy)) and (user device) with environment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 15:55
4	43	(((not abbott.in. and (context attribute) with exchang$4) and client and server and data near6 source and (mediator intermediatory proxy)) and (user device) with environment) and (user device) with location	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 15:55
5	40	((((not abbott.in. and (context attribute) with exchang$4) and client and server and data near6 source and (mediator intermediatory proxy)) and (user device) with environment) and (user device) with location) and attribute with value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 15:56
6	39	(((((not abbott.in. and (context attribute) with exchang$4) and client and server and data near6 source and (mediator intermediatory proxy)) and (user device) with environment) and (user device) with location) and attribute with value) and receiv$4 same response and (provid$5 send$4 transmit$4) same (value data information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 15:58
7	34	(((((not abbott.in. and (context attribute) with exchang$4) and client and server and data near6 source and (mediator intermediatory proxy)) and (user device) with environment) and (user device) with location) and attribute with value) and receiv$4 same response same (provid$5 send$4 transmit$4) same (value data information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 15:58
8	34	((((((not abbott.in. and (context attribute) with exchang$4) and client and server and data near6 source and (mediator intermediatory proxy)) and (user device) with environment) and (user device) with location) and attribute with value) and receiv$4 same response same (provid$5 send$4 transmit$4) same (value data information)) and request$4 and identif$4 with (attribute variable parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:03
9	2789	not (BOWMAN-AMUAH abbott).in. and (context attribute) with exchang$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:22
10	2788	not (BOWMAN$9 abbott).in. and (context attribute) with exchang$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:06
11	109	(not (BOWMAN$9 abbott).in. and (context attribute) with exchang$4) and provid$4 with value same (user client consumer customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:07
12	2	((not (BOWMAN$9 abbott).in. and (context attribute) with exchang$4) and provid$4 with value same (user client consumer customer)) and request$4 and response same receiv$4 same attribute same provid$4 same value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:16
13	20	5999975.URPN.	USPAT	2003/11/14 16:10

14	101	(not (BOWMAN$9 abbott).in. and (context attribute) with exchang$4) and (attribute and (transmit$5 exchang$4)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:17
15	0	((not (BOWMAN$9 abbott).in. and (context attribute) with exchang$4) and (attribute and (transmit$5 exchang$4)).ti.) and receiv$4 with request$4 and response with receiv$4 same (provid$4 send$4 transmit$4) with value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:18
16	0	((not (BOWMAN$9 abbott).in. and (context attribute) with exchang$4) and (attribute and (transmit$5 exchang$4)).ti.) and receiv$4 with request$4 and response with receiv$4 same (provid$4 send$4 transmit$4) with (information value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:19
17	0	((not (BOWMAN$9 abbott).in. and (context attribute) with exchang$4) and (attribute and (transmit$5 exchang$4)).ti.) and receiv$4 with request$4 and response same receiv$4 same (provid$4 send$4 transmit$4) with (information value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:20
18	0	((not (BOWMAN$9 abbott).in. and (context attribute) with exchang$4) and (attribute and (transmit$5 exchang$4)).ti.) and receiv$4 with request$4 and response same receiv$4 same (provid$4 send$4 transmit$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:20
19	15226	receiv$4 with request$4 and response same receiv$4 same (provid$4 send$4 transmit$4) with (information value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:20
20	47	receiv$4 with request$4 and response same receiv$4 same (provid$4 send$4 transmit$4) with (attribute adj value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:21
21	0	(receiv$4 with request$4 and response same receiv$4 same (provid$4 send$4 transmit$4) with (attribute adj value)) and (context and attribute).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:22
22	13	(receiv$4 with request$4 and response same receiv$4 same (provid$4 send$4 transmit$4) with (attribute adj value)) and (context attribute).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:22
23	2	((receiv$4 with request$4 and response same receiv$4 same (provid$4 send$4 transmit$4) with (attribute adj value)) and (context attribute).ti.) not (BOWMAN-AMUAH abbott).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:25
24	0	(context and attribute and exchang$4).ti. not (BOWMAN-AMUAH abbott).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:25
25	200731	(context attribute exchang$4).ti. not (BOWMAN-AMUAH abbott).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:25
26	130	((context attribute exchang$4).ti. not (BOWMAN-AMUAH abbott).in.) and context near4 attribute	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:26

27	52	(((context attribute exchang$4).ti. not (BOWMAN-AMUAH abbott).in.) and context near4 attribute) and attribute near4 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:28
28	23	((((context attribute exchang$4).ti. not (BOWMAN-AMUAH abbott).in.) and context near4 attribute) and attribute near4 value) and (user device) with (location environment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:34
29	9	(not (BOWMAN-AMUAH abbott).in. and (context attribute) with exchang$4) and providing with value with attribute and (user device) with (location environment condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:35
30	9	(not (BOWMAN-AMUAH abbott).in. and (context attribute) with exchang$4) and providing with value with attribute and (consumer customer user device) with (location environment condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:46
31	27	345/733-749.ccls. and context with attributes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:46